AUTHOR INDEX

Aketagawa, J., 167 Al-Timari, U. A. R., 121 Albersheim, P., 211 Alho, M. A. M., 223 Anderson, L., 95 Angyal, S. J., 55

Batley, M., 185 Baum, L. G., 111 Beaupère, D., 75 Benazza, M., 75 Bock, K., 27 Breedveld, M. W., 185 Brufani, M., 229

Canter Cremers, H. C. J., 185 Cesta, M. C., 229 Chen, Q., 15 Cinget, F., 1 Coogan, M. M., 201

D'Accorso, N. B., 223 Darvill, A. G., 211 Datta, A. K., 95 Davies, D. B., 175 Demailly, G., 75 Donnarumma, L., 229

Elliott, A. C., 175 Ewing, D. F., 233

Fascio, M. L., 223 Ferrari, E., 229 Filocamo, L., 229 Fisera, L., 121 Fritz, H., 129

Gagnaire, D., 1 Gostoli, G., 229 Grand, A., 1 Grimmecke, H. D., 247 Grindley, T. B., 83 Guan, Y., 15

Hashimoto, Y., 167 Humble, R. W., 233

Jones, C., 175 Jones, R. L., 201 Kamiyama, A., 63 Knirel, Yu. A., 247 Kodama, H., 111 Köll, P., 9, 55 Komander, H. 55 Kopf, F., 15 Kopf, J., 9, 55 Kumagai, M., 63

Lappa, S., 229 Lauk, W., 247 Lehmann, J., 129 Litt, M. H., 237 Lowary, T. L., 157 Lugtenberg, B. J. J., 185

Mackenzie, G., 233 Mamat, U., 247 Manchester, K. L., 201 Meguro, H., 63 Morf, M., 9, 55

Nashed, M. A., 95 Niemczura, W. P., 237 Nishida, Y., 63

Ohrui, H., 63

Pagella, P. G., 229 Paulson, J. C., 27, 111 Ponder, G. R., 143 Puvanesarajah, V., 211

Rao, S. P., 83 Raynor, A., 233 Redmond, J. W., 185 Richards, G. N., 143, 157 Rutherford, T. J., 175

Sabesan, S., 27 Sachinvala, N. D., 237 Schmidt-Schuchardt, M., 129 Shashkov, A. S., 247 Shaw, G., 233 Shibata, Y., 167 Stevens, K., 185

Takahashi, S., 167 Takayama, K., 95 Tanaka, S., 167 Thiel, I. M. E., 223 Tsumuraya, Y., 167

Uzan, R., 75

Viljoen, H. W., 201 Voges, M., 247 Vottero, P. J. A., 1 Wang, X., 15 Weiser, W., 129 Wijffelman, C. A., 185

Xu, Z., 15

Zevenhuizen, L. P. T. M., 185 Zimmer, B., 9, 55

SUBJECT INDEX

- Absolute configuration of monosaccharides using (-)-2-tert-butyl-2-methyl-1,3-benzodioxole-4-carboxylic Acid, determination of the, 63
- Acetobacter methanolicus MB 58/4 (IMET 10945), structure of the extracellular polysaccharide of, 247
- Amyloglucan and a soluble glucan produced from starch by *Streptococcus sanguis* 1 MC 204, structural studies of, 201
- Analysis of sialyloligosaccharides, conformational, 27
- Anhydro-2,3-dideoxy-D-galacto- and D-gluconon-3-enose dimethyl acetal and their use as new probes for determining by H-n.m.r. spectroscopy the steric course of glycoside hydrolases, synthesis of 4.8-, 129
- Anhydropyranoses, per-O-benzylated 1,3-, 1,2-, and 1,6-, e.i.-mass spectrometry of, 15
- Apiose and 3-deoxy-2-heptulosaric acid, evidence for the anomeric configuration and attachment sites of; structural characterization of two oligosaccharide fragments formed by the selective cleavage of rhamnogalacturonan II, 211
- D-Arabinitol, crystal structure of, 9 D-Arabinitol, selective chlorination of, 75
- Benzylated 1,3-, 1,2-, and 1,6-anhydropyranoses, e.i.-mass spectrometry of, 15
- Coagulation factor G from limulus, activation by (1 → 3)-β-D-glucans of, 167
- Configuration of monosaccharides using (-)-2-tert-butyl-2-methyl-1,3-benzodioxole-4-carboxylic acid, determination of the absolute,
- Conformational analysis of sialyloligosaccharides 27
- 6-Corynomycolate of trehalose, synthesis of, 95 Crystal and molecular structures of D-glycero-D-manno-heptitol (α-sedoheptitol, volemitol) and
- D-glycero-D-gluco-hepitol (β-sedoheptitol), 55 Cycloaddition of arylnitrile oxides to 5,6-dideoxy-1,2-O-isopropylidene-α-D-xylo-hex-5-enofuranose, regioselective synthesis of C-nucleosides by 1,3-dipolar, 121
- Cycloheptaamylose as a model for starch in the pyrolysis of polysaccharides, 157
- Determination of the absolute configuration of monosaccharides using (-)-2-tert-butyl-2-methyl-1,3-benzodioxole-4-carboxylic acid, 63

- 6,6'-Dicorynomycolate of trehalose, synthesis of,
- Diethyl dithioacetals of pentoses, reduction of benzylidene derivatives of, 83
- Dithioacetals, diethyl, pentoses, reduction of benzylidene derivatives of, 83
- Exopolysaccharide of *Rhizobium leguminosarum* bv. *viciae* strain 248, unusual structure of the, 185
- (1→3)-β-D-Glucans, activation of a coagulation factor G by, 167
- Glycoside hydrolases, synthesis of 4,8-anhydro-2,3-dideoxy-p-galacto- and p-gluco-non-3enose dimethyl acetal and their use as new probes for determining by H-n.m.r. spectroscopy the steric course of, 129
- D-Gluco-, D-xylo-, and D-ribo-furanose, synthesis of isopropylidene derivatives by hydrolysis of related glycofuranosylamines, 233
- β-D-Glucopyranoside, 2,3,4,6-tetra-O-acetyl-, (2,2,6,6-tetramethylpiperidin-1-oxyl-4-yl), Xray structure of, 1
- 5-Glycosyl-2-methyl-1,3,4-oxadiazole, synthesis and n.m.r. spectra of, 229
- 5-Glycosyl-2-phenyl-1,3,4-oxadiazole, synthesis and n.m.r. spectra of, 229
- Heptitol, crystal and molecular structures of Dalycero-D-manno- and D-alycero-D-aluco-, 55
- 2-Heptulosaric acid, 3-deoxy- and apiose, evidence for the anomeric configuration and attachment sites of; structural characterization of two oligosaccharide fragments formed by the selective cleavage of rhamnogalacturonan II, 211
- myo-Inositol nitrates, synthesis of some, 223
- Isopropylidene derivatives of D-gluco-, D-xylo-, and D-ribo-furanose, synthesis by hydrolysis of related glycofuranosylamines, 233
- Limulus coagulation factor G, activation by $(1\rightarrow 3)$ - β -D-glucans of, 167
- Location and quantitation of the sites of O-acetylation on the capsular polysaccharide from Streptococcus pneumoniae type 9V by ¹H-n.m.r. spectroscopy, 175

Mass spectrometry of per-*O*-benzylated 1,3-, 1,2-, and 1,6-anhydropyranoses, 15 Monomers from sucrose, 237

Neuraminidases, viral and bacterial, linkage-specific substrates for, 111

Neuraminidases, synthesis of linkage-specific sialoside substrates for colorimetric assay of, 111 Nitrates, synthesis of some *myo*-inositol, 223

Nitroxide spin-label compound, X-ray structure of, 1

C-Nucleosides, regioselective synthesis by 1,3-dipolar cycloaddition of arylnitrile oxides to 5,6dideoxy - 1 - 2 - O - isopropylidene -α -D-xylohex-5-enofuranose, 121

1,3,4-Oxadiazoles, 2,5-disubstituted, synthesis from disaccharides and n.m.r. spectra of, 229

Oligosaccharide fragments formed by the selective cleavage of rhamnogalacturonan II, structural characterization of; evidence for the anomeric configuration and attachment sites of apiose and 3-deoxy-2-heptulosaric acid, 211

Pentitols, selective chlorination of, 75

Pentose diethyl dithioacetals, reduction of benzylidene derivatives of, 83

Polysaccharide of Acetobacter methanolicus MB 58/4 (IMET 10945), structure of the extracellular, 247

Polysaccharide from Streptococcus pneumoniae type 9V, location and quantitation of the sites of O-acetylation by ¹H-n.m.r. spectroscopy, 175

Polysaccharides, cycloheptaamylose as a model for starch in the pyrolysis of, 157

Pyrolysis of polysaccharides, cycloheptaamylose as a model for starch in the, 157

Pyrolysis of a xylan, thermal synthesis and, 143

Regioselective synthesis of C-nucleosides by 1,3dipolar cycloaddition of arylnitrile oxides to 5,6-dideoxy-1,2-O-isopropylidene-α-D-xylohex-5-enofuranose, 121

Rhamnogalacturonan II, structural characterization of two oligosaccharide fragments formed by the selective cleavage of; evidence for the anomeric configuration and attachment sites of apiose and 3-deoxy-2-heptulosaric acid, 211 Rhizobium leguminosarum bv. viciae strain 248, unusual structure of the exopolysaccharide of, 185

Ribitol, selective chlorination of, 75

Sedoheptitol, crystal and molecular structures of α - and β -, 55

Sialoside substrates, linkage-specific for neuraminidase, synthesis of, 111

Sialyloligosaccharides, conformational analysis of, 27

Streptococcus sanguis 1 MC 204, structural studies of amyloglucan and a soluble glucan produced from starch by, 201

Streptococcus pneumoniae type-9V polysaccharide, location and quantitation of the sites of O-acetylation by ¹H-n.m.r. spectroscopy, 175

Structural studies of amyloglucan and a soluble glucan produced from starch by *Streptococcus sanguis* 1 MC 204, 201

Structure of the exopolysaccharide of *Rhizobium* leguminosarum by. viciae strain 248, 185

Structure of the extracellular polysaccharide of Acetobacter methanolicus MB 58/4 (IMET 10945), 247

Sucrose, monomers from, 237

Syntheses of isopropylidene derivatives of p-gluco-, p-xylo-, and p-ribo-furanose by hydrolysis of related glycofuranosylamines, 233

Synthesis of 4,8-anhydro-2,3-dideoxy-D-galactoand D-gluco-non-3-enose dimethyl acetal and their use as new probes for determining by H-n.m.r. spectroscopy the steric course of glycoside hydrolases, 129

Synthesis of some myo-inositol nitrates, 223

(2,2,6,6-Tetramethylpiperidin-1-oxyl-4-yl) 2,3,4, 6-O-acetyl-β-D-glucopyranoside, X-ray structure of, I

Thermal synthesis and pyrolysis of a xylan, 143 Trehalose corynomycolates, synthesis of, 95

Xylan, thermal synthesis and pyrolysis of a, 143 Xylitol, selective chlorination of, 75

